

FURTHER READING

REACTION THEORY (for exotic nuclei)

Time-dependent and semi-classical methods

Nonperturbative time-dependent approach to breakup of halo nuclei, V. S. Melezhik and D. Baye, Physical Review C 59, 3232-3239

Time-dependent analysis of the Coulomb breakup method for determining the astrophysical S factor, V. S. Melezhik and D. Baye, Physical Review C 64, 054612 (11 pages)

Validity of the semiclassical approximation for the breakup of weakly bound nuclei, H. D. Marta, L. F. Canto, R. Donangelo et al., Physical Review C 66, 024605 (5 pages)

Elastic scattering and breakup of ^{17}F at 10 MeV/nucleon, J. F. Liang, J. R. Beene, H. Esbensen et al., Physical Review C 65, 051603 (5 pages)

Eikonal approximation in heavy-ion fragmentation reactions, H. Esbensen and G. F. Bertsch, Physical Review C 64, 014608 (6 pages)

Dynamical description of the breakup of one-neutron halo nuclei ^{11}Be and ^{19}C , S. Typel and R. Shyam, Physical Review C 64, 024605 (8 pages)

Higher order effects in electromagnetic dissociation of neutron halo nuclei, S. Typel and G. Baur, Physical Review C 64, 024601 (7 pages)

Higher order effects in electromagnetic dissociation of fast particles, a soluble model and application to ^{11}Li , S. Typel and G. Baur, Nuclear Physics A 573 (1994) 486-500

Higher-order effects in the Coulomb dissociation of ^8B into $^7\text{Be} + p$, S. Typel, H.H. Wolter and G. Baur, Nuclear Physics A 613 (1997) 147-164

Electromagnetic dissociation of ^8B and the rate of the $^7\text{Be}(p,\gamma)^8\text{B}$ reaction in the Sun, B. Davids, Sam M. Austin, D. Bazin et al., Physical Review C 63, 065806 (14 pages)

Eikonal theory and momentum distributions

Evaluation of an eikonal model for ^{11}Li -nucleus elastic scattering, J.S. Al-Khalili, I.J. Thompson and J.A. Tostevin, Nuclear Physics A 581 (1995) 331-355

Momentum Content of Single-Nucleon Halos, P. G. Hansen, Phys. Rev. Lett. 77, 1016-1019 (1996)

Momentum distributions in stripping reactions of single-nucleon halo nuclei, H. Esbensen, Phys. Rev. C 53, 2007-2010 (1996)

Breakup reactions of the halo nuclei ^{11}Be and ^8B , K. Hencken, G. Bertsch, and H. Esbensen, Phys. Rev. C 54, 3043-3050 (1996)

How large are the halos of light nuclei?, J.A. Tostevin and J.S. Al-Khalili, Nuclear Physics A 616 (1997) 418-425

Elastic and quasielastic scattering of ^8He from ^{12}C , J. A. Tostevin, J. S. Al-Khalili, M. Zahar, M. Belbot, J. J. Kolata, K. Lamkin, D. J. Morrissey, B. M. Sherrill, M. Lewitowicz, and A. H. Wuosmaa, Phys. Rev. C 56, R2929-R2933 (1997)

Few-body calculations of proton- $^6,^8\text{He}$ scattering, J. S. Al-Khalili and J. A. Tostevin, Phys. Rev. C 57, 1846-1852 (1998)

Nuclear breakup of Borromean nuclei, G. F. Bertsch, K. Hencken, and H. Esbensen, Phys. Rev. C 57, 1366-1377 (1998)

Nuclear induced breakup of halo nuclei, H. Esbensen and G. F. Bertsch, Physical Review C 59, 3240-3245

Systematic study of ^8B breakup cross sections, Henning Esbensen and Kai Hencken, Physical Review C 61, 054606 (8 pages)

Noneikonal calculations for few-body projectiles, J. M. Brooke, J. S. Al-Khalili, and J. A. Tostevin, Physical Review C 59, 1560-1566

Calculations of reaction cross sections for ^{19}C at relativistic energies, J. A. Tostevin and J. S. Al-Khalili, Physical Review C 59, R5-R8

Manifestation of halo size in scattering and reactions, J.A. Tostevin, R.C. Johnson and J.S. Al-Khalili, Nuclear Physics A 630 (1998) 340-351

Eikonal models for spectroscopic studies

Core excitation in halo nucleus breakup, J.A. Tostevin, J. Phys. G: Nucl. Part. Phys. **25** (1999) 735-739.

Direct Evidence for the Breakdown of the $N = 8$ Shell Closure in ^{12}Be , A. Navin, et al., Phys. Rev. Lett. 85, 266-269 (2000)

One-Neutron Knockout from Individual Single-Particle States of ^{11}Be , T. Aumann, et al., Phys. Rev. Lett. 84, 35-38 (2000)

Spectroscopy of Radioactive Beams from Single-Nucleon Knockout Reactions: Application to the sd Shell Nuclei ^{25}Al and $^{26,27,28}\text{P}$, A. Navin, et al., Phys. Rev. Lett. 81, 5089-5092 (1998)

One-neutron removal reactions on neutron-rich psd -shell nuclei, E. Sauvan et al., Physics Letters B 491 (2000) 1-7

Cross sections, momentum distributions, and neutron angular distributions for Be induced reactions on silicon, F. Negoita et al., Phys. Rev. C 59, 2082 (1999)

Single-neutron knockout reactions: Application to the spectroscopy of $^{16,17,19}\text{C}$, V. Maddalena, T. Aumann, D. Bazin et al., Physical Review C, 63, 024613 (17 pages)

Absolute spectroscopic factors from nuclear knockout reactions, B. A. Brown, P.

G. Hansen, B. M. Sherrill et al., Physical Review C 65, 061601 (4 pages)

Single-neutron knockout from $^{34,35}\text{Si}$ and ^{37}S , J. Enders, A. Bauer, D. Bazin et al., Physical Review C 65, 034318 (10 pages)

Single-nucleon knockout reactions at fragmentation beam energies, J.A. Tostevin, Nuclear Physics A 682 (2001) 320-331

Spectroscopy of $^{13,14}\text{B}$ via the one-neutron knockout reaction, V. Guimares, J. J. Kolata, D. Bazin, B. Blank, B. A. Brown, T. Glasmacher, P. G. Hansen, R. W. Ibbotson, D. Karnes, V. Maddalena, A. Navin, B. Pritychenko, B. M. Sherrill, D. P. Balamuth, and J. E. Bush, Phys. Rev. C 61, 064609 (2000)

Coupled channels treatment of breakup

Coupled-channels theory of breakup processes in nuclear reactions, Kamimura M, Yahiro M, Iseri Y, Sakuragi Y, Kameyama H and Kawai M, (1986) Progress in Theoretical Physics Supplement 89, 1.

Continuum discretized coupled-channels calculations for three-body models of deuteron-nucleus reactions, Austern N, Iseri Y, Kamimura M, Kawai M, Rawitscher G and Yahiro M, (1987) Physics Reports 154, 125.

Higher-order and $E2$ effects in medium energy 8B breakup, J. Mortimer, I. J. Thompson, and J. A. Tostevin, Physical Review C 65, 064619 (8 pages)

Electromagnetic dissociation of 8B and the rate of the $^7\text{Be}(p,\gamma)^8\text{B}$ reaction in the Sun, B. Davids, Sam M. Austin, D. Bazin et al., Physical Review C 63, 065806 (14 pages)

Coupling to breakup channels using a transformed harmonic oscillator basis, A. M. Moro, J. M. Arias, J. Gomez-Camacho et al., Physical Review C 65, 011602 (5 pages)

Multistep effects in sub-Coulomb breakup, F. M. Nunes and I. J. Thompson, Physical Review C 59, 2652-2659

Calculations of three-body observables in 8B breakup, J. A. Tostevin, F. M. Nunes, and I. J. Thompson, Physical Review C 63, 024617 (10 pages)

Multistep Coulomb and nuclear breakup of one-nucleon halo nuclei, I.J. Thompson, J.A. Tostevin and F.M. Nunes, Nuclear Physics A 690 (2001) 294-297

Single-neutron removal reactions from ^{15}C and ^{11}Be : Deviations from the eikonal approximation, J. A. Tostevin, D. Bazin, B. A. Brown, T. Glasmacher, P. G. Hansen, V. Maddalena, A. Navin, and B. M. Sherrill, Physical Review C 66, August 2002.

Adiabatic and recoil adiabatic models

Four-body adiabatic model applied to elastic scattering, J.A. Christley, J.S. Al-Khalili, J.A. Tostevin and R.C. Johnson, Nuclear Physics A 624 (1997) 275-292

Elastic Scattering of Halo Nuclei, R. C. Johnson, J. S. Al-Khalili, and J.A.

Tostevin Phys. Rev. Lett. 79, 2771-2774 (1997)

Manifestation of halo size in scattering and reactions, J.A. Tostevin, R.C. Johnson and J.S. Al-Khalili, Nuclear Physics A 630 (1998) 340-351

Coulomb breakup of light composite nuclei, J.A. Tostevin et al., Physics Letters B 424 (1998) 219-225

Coulomb dissociation of light nuclei, J. A. Tostevin, S. Rugmai, and R. C. Johnson, Phys. Rev. C 57, 3225-3236 (1998)

Coulomb breakup of two-neutron halo nuclei, P. Banerjee, J. A. Tostevin, and I. J. Thompson, Phys. Rev. C 58, 1337-1340 (1998)

Scattering and reactions of halo nuclei, R.C. Johnson, Progress in Theoretical Physics Supplement 140, (2000) 33.

Nonadiabatic corrections to elastic scattering of halo nuclei, N. C. Summers, J. S. Al-Khalili, and R. C. Johnson Phys. Rev. C 66, 014614 (2002)

Applications to transfer reactions

One- and two-nucleon transfer reactions, N.K. Glendenning, Chapter IX.E, in Nuclear Spectroscopy and Reactions, Vol. D, ed J. Cerny, Academic Press, 319.

Single-neutron transfer from $^{11}\text{Be}(gs)$ via the (p,d) reaction with a radioactive beam, Nuclear Physics A 683 (2001) 48-78

Deuteron stripping and pick-up on halo nuclei, N. K. Timofeyuk and R. C. Johnson Phys. Rev. C 59, 1545 (1999)

Are coupled channel effects important for the asymptotic normalization coefficient method?, F. M. Nunes and A. M. Mukhamedzhanov, Phys. Rev. C 64, 062801 (2001)

Dynamics of two-neutron transfer reactions with the Borromean nucleus ^6He , Yu. Ts. Oganessian, V. I. Zagrebaev, and J. S. Vaagen, Phys. Rev. C 60, 044605 (1999)

J.A. Tostevin

August 7, 2002